



Archimedia Solutions Group, LLC Companies

603.889.7610

sales@imtek.com

www.asg-companies.com

Redefining the Large-Format Printer.

Up to 144 D Prints/Hour* LUCIA TD Pigment Ink Scan-to-Copy/File/ Share Solution Available



The Future Of Large-Format Printing Is Now

Print technical documents, blueprints, posters, and infographics. Your applications can change—your printer doesn't have to.

- •24" imagePROGRAF TM-200 **ABC BUILDERS** •36" imagePROGRAF TM-305/300 FOR ALL YOUR HOME RENOVATION NEEDS •36" imagePROGRAF TM-305/300 MFP Z36 Scan-to-Copy/File/Share Solution **demay** LUCIA
- TD Pigment Ink
- Fast Print Speeds
- Direct USB Thumb Drive Printing
- Batch Printing
- Wi-Fi[®] Printing
- Small Footprint
- Security Features
- Nesting and Tiling of Files
- Quiet Operation
- Touch Screen Panel
- Poster Creation Software

Canon has redefined the capabilities of a large-format printer with the imagePROGRAF TM Series—all in an office- friendly printer that's up to 60% quieter than previous imagePROGRAF printers.

SMALL FOOTPRINT

where space is limited.

SECURITY FEATURES

• 802.1x Authentication

Intuitive 3" color touch screen

panel for simple device control.

• IPsec Support

• SSL/TLS

Sized to easily fit environments

• Secure Disk Erase (Conforms

standard DoD5220.22-M)

to U.S. Department of Defense

TOUCH SCREEN OPERATION PANEL

LUCIA TD INK

The imagePROGRAF TM Series printers utilize the 5-color LUCIA TD Pigment ink system for waterresistant prints.

FAST PRINT SPEEDS

Faster printing of multipage files and sets than previous models.

DIRECT USB THUMB DRIVE PRINTING

Available with the TM-305 printer, PDF and JPEG files can be directly printed from the printer. You can preview the image on the operation panel prior to printing.

WI-FI[®]

Print mobile from anywhere in the office or from a job site.**

* All speeds measured using plain paper, Fast Q5 mode. The 144 ANSI D prints/hour is measured from when the first print begins printing ** Wireless printing requires a working network with wireless 802.11b/g or 802.11n capability. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.

Print Big. Print Easy. Print Now.

With an abundance of software included, the imagePROGRAF TM Series is equipped documents, maps, and more!

• PosterArtist Lite - Create professional posters in four easy steps—now supports the creation of multilingual posters and tiling!

Up to 144

D Prints

per hour*

- Easy-PhotoPrint Editor Simple solution for creating photo layouts, business cards, and calendars—both Windows® and Mac[®] compatible and mobile-friendly!
- Free Layout Plus Nest, tile, and create custom layouts before printing your files with this print utility. Use the Plug-in feature to print directly from Microsoft[®] Office programs.

Scan-to-Copy/File/Share Systems

your changes quickly by emailing or saving to a common site.

 Scanning speed of up to 13 inches per second (monochrome) and up to 6 inches per second (color)

Large-Format Printer

Flat Stacking Basket

on TM-305



with everything needed to print posters, banners, signage, infographics, designs, technical

- Direct Print Plus In as little as one step, simply drag and drop files for on-demand printing. High-speed file processing, batch printing, and the ability to monitor the status of more than one device are just some of the key advantages of Canon's Direct Print Plus software.
- Accounting Manager Track the amount of ink and paper being consumed for up to 50 printers!
- AutoCAD[®] Optimized Printer Driver Enables accurate printing of drawing data created with AutoCAD[®].
- Unified TM Printer Driver Enables users to print from multiple TM and TX Series devices.

Add the ability to **duplicate** documents and **archive** old originals as well as **save and share**

- Scan documents up to 1.0 mm thick
- Face-up front-loading scanning with rear exit

3

PRINTER SPECIFICATIONS (see usa.canon.com for full printer specs)

Print Head

PF-06

Number of Nozzles

Matte Black: 5,120 Nozzles Other Colors: 2,560 Nozzles per Color

Droplet Size 5 Picoliter

Ink Type Pigment: Matte Black (MBK), Cyan (C), Magenta (M), Yellow (Y), Black (BK)

Ink Tank

Shipped with Printer: MBK (130 ml) BK, C, M, Y (90 ml) Replacement: PFI-120 (130 ml), PFI-320 (300 ml)

Printer RAM

TM-305: 128 GB (2 GB Physical Memory) TM-200/300: 2 GB

500 GB

Hard Drive

TM-305:

Media Feed

Roll Feed: One Roll, Front-loading, Front Output Cut Sheet: Top-loading, Front Output

Media Width

TM-305/300 8"-36" (203 mm – 914 mm) 8"-36" (203 mm –914 mm) Roll Feed: Cut Sheet: TM-200 8"-24" (203 mm - 610 mm) Roll Feed: 8"-24" (203 mm - 610 mm) Cut Sheet:

Media Cutter

Durable Dual-Blade Rotary Cutter

Media Thickness

0.07 mm - 0.8 mm

Media Core Sizes

2" and 3" Core (Adapter Included)

Maximum Roll Outer Diameter 5.9" (150 mm)

Media Output Options

TM-305: Flat Stacking Basket (standard) TM-300/200: Basket (standard)

Printing Software Utilities

Accounting Manager, Canon Print Service, Device Management Console, Direct Print Plus, Free Layout Plus, imagePROGRAF Printer Driver for Windows*/Mac*, Media Configuration Tool, PosterArtist Lite for Windows, Canon PRINT Inkjet Selphy, Easy-Photo PrintEditor, Optimized Driver for AutoCAD*

Operating System

Windows 7 (32/64 bit), Windows 8.1 (32/64 bit), Windows 10 (32/64 bit), Windows Server 2008 R2, (32/64 bit), Windows Server 2012 (64 bit), Windows Server 2012 R2 (64 bit), Windows Server 2016 (64 bit), Macintosh OS X v10.10.5-v10.12x

Interface

ARCHIMEDIA Solutions Group

TM-305: Standard (Built-in): USB 2.0 Hi-Speed, 10/100/ 1000Base-T/TX, Wireless LAN (IEEE 802.11 b/g/n) Direct USB Thumb Drive

Contact us to request a quote.

©2021 Canon U.S.A., Inc. All rights reserved. 0521-TMZ36-Bro-PDF-IH

978,774,5400

info@archimediasg.com www.archimediasg.com

TM-300/200: Standard (Built-in): USB 2.0 Hi-Speed, 10/100/1000Base-T/TX, Wireless LAN (IEEE 802.11 b/g/n)

Power Supply AC 100 - 240V (50 - 60 Hz)

Power Consumption Maximum: 69 Worless 3.6 W or Less Standby: Power Off: 0.3 W or Less (Executive Order Compliant)

Certifications

Environmental Certifications ENERGY STAR® (Worldwide)

Operational Environment

59° F - 86° F (15° C - 30° C) Temperature: Relative Humidity: 10 - 80% (No Condensation)

Printer Dimensions (H x W x D) and Weight

(With Basket Open) TM-305: 42" x 51" x 35"; Approx 134 lb. 42" x 51" x 34"; Approx 130 lb. 42" x 38" x 34"; Approx 112 lb. TM-300: TM-200:

Package Dimensions (H x W x D) and Weight

(With Stand, Basket, and Pallet) 38" x 58" x 36"; Approx. 231 lb. 38" x 58" x 36"; Approx. 229 lb. 38" x 45" x 36"; Approx. 187 lb. TM-305: TM-300: TM-200:

Options

TM-200: 2"/3" Roll Holder Set (RH2-28) TM-305/300: 2"/3" Roll Holder Set (RH2-35); PosterArtist

- User-Replaceable Items
- Ink Tank (PFI-120/PFI-320)
 Print Head (PF-06)
- Maintenance Cartridge (MC-31) • Cutter Blade (CT-08)

What's In The Box

Printer, Basket, Stand, 2"/3" Core Media Spool (Adapters Included), Power Cord, Tools and Screws, Print Head, Maintenance Cartridge (Installed), 5 Ink Tanks (130 ml: MBK, 90 ml: BK/C/M/Y), Sample Heavyweight Coated Paper (A2/2 Sheets), Ethernet Card (built-in), USB 2.0 High-speed Interface, USB Connection Sheet, iWR Service Terms Leaflet, User Manual, Quick Setup Guide, User Software CD for Windows (Printer Driver Utilities), PosterArtist Lite CD, User Registration Card

603.889.7610

Archimedia Solutions Group, LLC Companies

Imtek

Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of its features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory

As an ENERGY STAR[®] Partner, Canon USA, Inc. has qualified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. Canon and imagePROGRAF are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Wi-Fi is a registered trademark of the Wi-Fi alliance. All other referenced product names and marks are trademarks of their respective owners. All printer output and screen images are simulated. Specifications and availability subject to change without notice. Not responsible for typographical errors.

sales@imtek.com www.asg-companies.com

Z36 SCANNER

Scan Speed

- 24-bit Color @ 200 dpi: 3" (Per Second)
- 8-bit Grayscale and Monochrome @ 200 dpi:
- 13" (Per Second)

Scan Modes

- 16.7 Million Color RGB (24-bit)
- 256-level Grayscale (8-bit) Black and White (1-bit)
- Color Space

sRGB

617.782.3800

makepeace

compliance. Some security features may impact functionality/performance; you may want to test these settings in your environment.

@makepeace.com

www.asg-companies.com

Maximum Resolution

1200 dpi (Optical)

Scan Accuracy⁴

+/- 0.1% : +/- 1 pixel

Maximum Scan Width

36"

Maximum Media Width 38'

imagePROGRAF

TM Series

Maximum Scan Length 315" (JPEG/PDF); 598" (TIFF)

Maximum Media Thickness

0.003" - 0.04" (0.07 mm - 1.0 mm)

Digital Imaging Technology

Contact Image Sensor (CIS) Technology (SingleSensor Assembly)

- 24-bit RGB digital color image capture
- 16-bit grayscale image capture
 Panchromatic monochrome and black and white • Bi-directional extra long-life LED light system for optimum object illumination and instant-on
- scanning capability

Included Software

SmartWorks MFP Scan-to-Copy/File/Email with Real-time Image Viewer; supports TIFF, JPEG, TIFF G4, and PDF

Operating System

Windows 10 LTSC

Scanner Interface Kit Superspeed USB 3.0 (PC Connector Compatible with

USB 2.0 and USB 3.0 sockets) **Operating Environment**

10° C - 35° C, 35 - 80% RH, Non-condensing

External Power Supply

100 - 240 VAC Autosensing +/- 10%, 50 - 60 Hz

Scanner Power Consumption

Sleep/Idle: 0.2 W/12.4 W Scanning Color/Grayscale @ 200 dpi: 22.7 W/23.3 W

Compliance

ENERGY STAR®, CB (62368-1), CE, FCC (EMC), Cul/UL, CCC, NOM-019, EAC, C-TICK, VCCI, BIS, EMC +LOA, UL AR, WEEE, REACH, RoHS, EU—Tier 3 of Lot 6

Scanner Dimensions (H x W x D)

7" x 42" x 10"

Power Supply

Scanner Weight

17.3 lb. (Approx.)

What's In The Box?

Mount for Printer and System Controller

Z36 Scanner with Power Cord, USB 3.0 Cable (2 meter)

Wireless printing requires a working network with wireless 802.11b/g or 802.11n capability. Wireless performance may vary based on terrain and distance between the printer and wireless

The scan rate is proportional across the full range of resolutions supported by the scanner. Actual scan times will depend on the

Note: Model shown on cover is the TM-305 MFP Z36. The imagePROGRAF TM-305 MFP Z36 system contains multiple components, some of which are manufactured by third parties.

To the extent that such third-party offerings come with limited warranties, those such limited warranties are hereby passed to

the purchaser, and Canon shall have no obligation

host system performance. Quoted top speeds may be limited by

the effective bandwidth of the USB 2 and is not guaranteed for all

Canon

• 15.6" System Controller • 3:1 Trident Power Cord

2 Paper Edge Guides

 Calibration Target • Assembly and Startup Guide

network clients.

media types.

Document Return Guides