## Data sheet

# HP Color LaserJet Managed E75245 Printer series



Count on productivity, premium quality, maximum uptime, and the strongest security,

HP LaserJet printers power office productivity with a smart, streamlined design that's reliable and hassle-free. Count on premium quality, maximum uptime, and the strongest security—all intended to drive successful organizations forward.



HP Color LaserJet Managed E75245dn

#### Professional color printing

- Print premium, professional-quality documents with vivid color images and graphics.
- Consistent professional quality and performance Original HP Toner cartridges and drums with JetIntelligence.
- Look professional on every page with vibrant, high-quality color prints that stand the test of time.

#### Minimal interruptions. Maximum productivity.

- Change the toner and drum in seconds. Both are easily accessible and come already installed out of the box.
- Avoid interruptions with an HP LaserJet printer designed for maximum productivity.
- Tailor this printer to meet the needs of your business with a wide range of paper-handling accessories.
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast—up to 46 ppm.²

### The world's most secure printing<sup>1</sup>

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks
- Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. http://www.hp.com/go/learnaboutsupplies

<sup>&</sup>lt;sup>1</sup> Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://hp.com/go/PrintersThatProtect. For more information: http://hp.com/go/printersecurityclaims <sup>2</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

## HP Color LaserJet Managed E75245dn

## Product walkaround

- 1. 250-sheet output bin
- Front door (access to JetIntelligence toner cartridges and imaging drums)
- 3. 550-sheet tray 2 supports media sizes up to 11 x 17 inches (A3)
- 4. 2nd generation Hardware Integration Pocket (for connecting accessory and third-party devices)
- 5. 2.7-inch (6.9 cm) color graphic display with 24-key pad
- 6. Easy-access USB port2
- 7. 100-sheet multipurpose tray 1 supports media sizes up to  $12 \times 18$  inches (305  $\times$  457 mm) and SRA3
- 8. Right door (access to the print path)
- 9. Automatic two-sided printing
- 10. Slot for cable-type security lock
- 11. 2 Hi-Speed USB 2.0 Host ports
- 12. Gigabit/Fast Ethernet 10/100/1000Base-TX network port
- 13. Hi-Speed USB 2.0 device port



# Series at a glance



| Model                                                                                                                                                                                    | HP Color LaserJet Managed E75245dn                                                                                       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Product number                                                                                                                                                                           | T3U64A                                                                                                                   |
| Print speed (Black and color) <sup>3</sup>                                                                                                                                               | Letter: Up to 45 pages per minute A4: Up to 46 ppm                                                                       |
| Media sizes supported                                                                                                                                                                    | Multipurpose tray 1: Up to 12 $\times$ 18 inches (305 $\times$ 457 mm) and SRA3 Tray 2: Up to 11 $\times$ 17 inches (A3) |
| Automatic two-sided printing                                                                                                                                                             | $\checkmark$                                                                                                             |
| 100-sheet multipurpose tray 1, 550-sheet tray 2                                                                                                                                          | 2 √                                                                                                                      |
| Optional input accessories Add up to two: 1x550-sheet paper tray Add up to one: 2x550-sheet paper tray and stand, 2,700 sheet high-capacity input paper tray and stand, or Cabinet stand | √                                                                                                                        |
| Input capacity (standard/maximum)⁴                                                                                                                                                       | Up to 650 sheets/4,450 sheets                                                                                            |
| Recommended monthly print volume⁵                                                                                                                                                        | Up to 40,000 pages                                                                                                       |
| Managed Cartridge yields                                                                                                                                                                 | Black: ~37,000 pages; Color: ~35,000 pages                                                                               |
| Optional HP High-Performance Secure Hard<br>Disk                                                                                                                                         | √                                                                                                                        |
| Optional wireless networking <sup>7</sup> /NFC touch-<br>to-print/Bluetooth® Low Energy <sup>8</sup>                                                                                     | $\checkmark$                                                                                                             |

<sup>&</sup>lt;sup>1</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP Color LaserJet Managed E75245dn comes with a second-generation HIP. <sup>2</sup> An administrator must enable the easy-access USB port before use. <sup>3</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>4</sup> Selection of optional paper-handling accessories required to reach maximum input capacity. <sup>5</sup> Recommended Monthly Page Volume (RMPV): HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. <sup>6</sup> Average black and color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies <sup>7</sup> The E75245dn can add wireless networking with selection of the optional HP Jetdirect 2900nw Print Server (J8031A). If selected, you cannot also select the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections. <sup>8</sup> Bluetooth <sup>8</sup> and touch-to-print capabilities are optional and can be added to the E75245dn by selecting brinting. For more information, see hp.com/go/businessmobileprinting.

## **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc











## Top features

Expect premium marketing materials and professional-quality documents with vivid color images and graphics. Built for great color performance and a toner formula designed for consistent quality and brilliant color output.

Annoying interruptions and complex maintenance can slow down printing and the pace of business. Avoid pauses in productivity with an HP LaserJet Printer designed for maximum uptime, so you can count on reliable results day in and day out.

HP printers have the industry's strongest security because they're always on guard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

#### Accessories

T3V27A HP LaserJet 550-sheet Paper Tray

T3V28A HP LaserJet Stand

T3V29A HP LaserJet 2x550-sheet Paper Tray and Stand
T3V30A HP LaserJet 2700-sheet HCl Paper Tray and Stand
B5L29A HP High-Performance Secure Hard Disk (FIPS Drive)

B5L28A HP Internal USB Ports

B5L31A HP Foreign Interface Harness

ESK48A HP 1 GB DDR3x32 144-Pin 800MHz SODIMM Accessory
ESK49A HP 2 GB DDR3x32 144-Pin 800MHz SODIMM Accessory
CC543B HP SmartCard NIPRNet Solution for US Government
F8B30A HP SmartCard SIPRNet Solution for US Government

J8031A HP Jetdirect 2900nw Print Server

3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accy

X3D03A HP USB Universal Card Reader Y7C05A HP HIP2 Keystroke Reader

4QL32A HP Legic Reader

5EL03A HP TAA Version secure hard disk drive 2NR09A HP 2GB 144-Pin DDR3 TAA Version DIMM

## Supplies

W9020MC HP Black Managed LaserJet Toner Cartridge (~37,000 pages)

W9021MC HP Cyan Managed LaserJet Toner Cartridge (~35,000 pages)

W9022MC HP Magenta Managed LaserJet Toner Cartridge (~35,000 pages)

W9023MC HP Yellow Managed LaserJet Toner Cartridge (~35,000 pages)

W9018MC HP Managed LaserJet Imaging Drum (~75,000 pages, universal for all 4 colors)

## Services

UB5B0E HP 5y NBD w/DMR CLJ E75245 MNGD SVC
UB5B3E HP 5y 4h 9x5 w/DMR CLJ E75245 MNGD SVC
UB5B6E HP 5y ChnlPartsOnly CLJ E75245 MNGD SVC
UB5B8PE HP 2y PW NBD w/DMR CLJ E75245 MNGD SVC
UB5C0PE HP2y PW w/DMR 4h 9x5 CLJ E75245 MNGD SVC
UB5C2PE HP2yPW ChnlPartsOnly CLJ E75245 MNGD SVC

<sup>&</sup>lt;sup>1</sup> Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://hp.com/go/printersThatProtect. For more information, http://hp.com/go/printersEnding.pdf.

\*\*Security Features\*\*: A security feature of the self-validate software information, see http://hp.com/go/printersIndex. For more information, see http://hp

## HP Color LaserJet Managed E75245 Printer series

| Prist Explosion  Bush between Lipson (1994 Are fast as 5.5 per book of feat as 6.1 per section)  Bush between Lipson (1994 Are fast as 5.5 per book of feat as 6.1 per section)  Prist Technology  Laser Prist Residue (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are fast as 5.2 per section)  Prist Explosion (1994 Are f           | Technical Specifications        | HP Color LaserJet Managed E75245dn (T3U64A)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Exercision of Piet Languages  INFECR LEA PECE LE           | Print speed                     | Letter: Up to 45 ppm black; Up to 45 ppm color; A4: Up to 46 ppm black; Up to 46 ppm color <sup>13</sup> ; First Page Out Letter: As fast as 5.7 sec black; As fast as 6.1 sec color; First Page Out A4: As fast as 5.7 sec black; As fast as 6.1 sec color <sup>14</sup> ; Print Speed (Landscape, A5): Up to 35 ppm black; Up to 35 ppm color <sup>15</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |
| Standard Commenting                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Print resolution                | Black (best): Up to 1200 x 1200 dpi; Color (best): Up to 1200 x 1200 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |
| Priest Prisonage in Telephone Priest Priest Prisonage in Telephone Priest Prie           | Print Technology                | Laser; Print Resolution Technologies: HP ImageREt 4800, Fine Lines (1200x1200 dpi), Quickview (300x300 dpi)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
| HIP Printer Assistant, IIP Device Toolson, IIP Device Toolson, IIP Web Androm's Software IIP Literaturage Security Manager, IIP SMMP Plans Agants IIP Will Plan Plans Open Device Agants Printer Administration  Him Speed Device Literaturage Security Manager, IIP SMMP Plans Agants IIP Will Plans Plans Open Device Agants III Him Speed Device Literaturage Security Manager, IIP SMMP Plans Agants IIP SMMP Plans Agants IIP SMMP Plans Agants IIP SMMP Plans Agants III           | Standard Print Languages        | HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| Configuration Library - Chief power Library - Amendment of Configuration Library - Co             | Printer Smart Software Features | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |
| Newfort Capability  Optional, enabled with purchase of a writers requested point some fortanded sports: 100 accessed, 110 office of the common           | Printer Management              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| Welesc Capability  Optional, enabled with purchase of a weekes hardware accessory. Pile actions 2 3000 miles with weless Station and Wi-Fi Drect Concriously)  Policie Printing Capability  Apple Air Printing Capability  Apple Air Printing Capability  Apple Air Printing Capability  Processor Speed  1.2 Get / Heard disk Options 500 GB 100.0 miles with Printing Air Print           | Standard Connectivity           | 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |
| HP Actified 2000nn Pries Severe High American Count (Secure Line) The American Count Montal Pries Pries High American Count Montal Pries Pries High American Count Montal Pries Pries High American Count Montal Pries High American Count P           | Network Capabilities            | Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 1000Base-Tx, 1000Base-Tx, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
| Nemony    Standard 1.5 Gift Alexindrian 2.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Wireless Capability             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| Processor Speed  1. 2 GHz / Hard disk: Optional SOD GB HOD: IPP Secure High Performance Hard Disk dive SOD GB ISL296, IPP PPS -180-2 Secure Hard Disk Drive SELDAN  Morthly, Lib to 15,000 Dages? Recommended/Horthly/Republication of 1,000.00 PPS -100.00 Pages in the PpS -1           | Mobile Printing Capability      | Apple Air Print™; Google Cloud Print™; HP ePrint; HP Roam; Mopria™ Certified                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
| Monthly, Lib to 15,0000 page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Monthly, Rego Volume: Up to 40,0000 Page. ** Recommended Page Volume: Page Volume: Up to 40,0000 Page. ** Recommended Page Volume: Page Volume: Page Volume: Page Volume: Page Volume: Page Vo             | Memory                          | Standard: 1.5 GB; Maximum: 2 GB <sup>8</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
| Paper Handling    Spot Capacities: 100-sheef multipurpose tray, 550-sheet pour tray, It has 650-sheet 560 print appear barouserables (asp). Open a control con           | Processor Speed                 | 1.2 GHz / Hard disk: Optional 500 GB HDD: HP Secure High Performance Hard Disk drive 500 GB B5L29A; HP FIPS-140-2 Secure Hard Disk Drive 5EL03A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| claradard, Envelope Feeder, No. Sandard Reper Trays: 2. Media Type Supported: Paper (plan), heavy, otra heavy, glossy, light, recycle, tought, envelopes, labels, glossy film, cardstock, transparencies. Media Weight Supported to the multipurpose Fary 1: 15 to 810, by Cohes here Injust Trays; 1: 15 to 810, by Cohes here Injust Trays; 1: 15 to 810, by Cohes here Injust Trays; 1: 15 to 810, by Cohes here Injust Trays; 1: 15 to 810, by Cohes here Injust Trays; 1: 15 to 810, by Cohes here Injust Trays; 1: 15 to 810, by Cohes here Injust Trays; 1: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here Injust Trays; 2: 15 to 810, by Cohes here In             | Duty Cycle                      | Monthly,:Up to 150,000 pages <sup>9</sup> ; RecommendedMonthlyPageVolume:Up to 40,000 <sup>10</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |
| Product Weight  #Wat's in the box  #P Cofor Laser/let Managed Ease/let Toner Cartridge (~37,000 pages), W9027MC HP Black Managed Lase/let Toner Cartridge (~37,000 pages), W9027MC HP Black Managed Lase/let Toner Cartridge (~37,000 pages), W9027MC HP Black Managed Lase/let Toner Cartridge (~37,000 pages), W9027MC HP Managed Lase/let managing Drum (~75,000 pages), www.essal for all 4 colors/let/let/let/let/let/let/let/let/let/let                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Paper Handling                  | standard); Envelope Feeder: No. Standard Paper Trays: 2; Media Types Supported: Paper (plain, heavy, extra heavy, glossy, light, recycle, tough), envelopes, labels, glossy film, cardstock, transparencies; Media Weight Supported: 100-sheet multipurpose Tray 1: 16 to 80 lb, 550-sheet input Tray 2: 16 to 88 lb, Optional 1x550 and 2x550 trays at stand: 16 to 68 lb, Optional 2700-sheet HDI paper tray and stand: 16 to 68 lb; Media Sizes Supported: 100-sheet multipurpose Tray 1: Statement, 3 x 5 index card, 4 x 6 index card, 5 x 8 index card, 5 x 8 index card, 5 Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Envelopes: #9, #10, Monarch; 550-s |  |
| What's in the box HP Color LaserJet Managed E75245dn printer; Four preinstalled HP Laser Jet toner cartridges; Guide (Setting started Guide); Power cord <sup>1, 6</sup> Replacement Cartridges W9020MC HP Black Managed Laser Jet Toner Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Toner Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Toner Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Toner Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Toner Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Toner Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Toner Gartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Toner Gartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Toner Gartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Toner Jet Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Toner Jet Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Toner Jet Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Toner Jet Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Toner Jet Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Toner Jet Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Toner Jet Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Toner Jet Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Laser Jet Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Laser Jet Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Laser Jet Laser Jet Cartridge (~35,000 pages); W9022MC HP Magenta Managed Laser Jet Laser | Product Dimensions              | <b>WxDxH</b> : 21.9x 23.2 x 15.7 in <sup>2</sup> : <b>Maximum</b> : 41.4 x 39.1 x 17.4 in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |
| Replacement Cartridges W9020MC HP Black Managed Laser Jet Toner Cartridge (~37,000 pages), W9023MC HP Wallow Managed Laser Jet Toner Cartridge (~37,000 pages), W9023MC HP Wallow Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Toner Cartridge (~35,000 pages), W9018MC HP Managed Laser Jet Later            | Product Weight                  | 99.4 lb <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Replacement Cartridges  W9020MC HP Black Managed Laser let Toner Cartridge (~37,000 pages); W9021MC HP Managed Laser let Toner Cartridge (~37,000 pages); W9021MC HP Managed Laser let Toner Cartridge (~37,000 pages); W9021MC HP Managed Laser let Toner Cartridge (~37,000 pages); W9021MC HP Managed Laser let Toner Cartridge (~37,000 pages); W9021MC HP Managed Laser let Tonerion (Tartridge)  One-year, next-business day, onsite warranty. Warranty and support options war by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4G, wty ID ADOI)  Finergy Efficiency Compliance  Control Panel  2.7 in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad  Display Description  3.7 in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad  Display Description  No software included in the Box, only on http://hp.com, http://hp.com/polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-polared-po           | What's in the box               | HD Color Lacer let Managed E752/45dp printer: Four projectabled HD Lacer let toper cartridges: Guide (Cotting started Guide): Dower cond. 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
| and support options in your region. (wty code 4G; wty ID A001)  Energy Efficiency Compliance  (Control Panel  2.7 in (6.86 cm) QVGA LCD (color graphics) rotating (aljustable angle) display with 24-key pad  Display Description  2.7 in (6.86 cm) QVGA LCD (color graphics) rotating (aljustable angle) display with 24-key pad  Software included  No software solutions are included in the Box, only on http://fpx.com. https://fpx.com. htt           | Replacement Cartridges          | W9020MC HP Black Managed LaserJet Toner Cartridge (~37,000 pages); W9021MC HP Cyan Managed LaserJet Toner Cartridge (~35,000 pages); W9022MC HP Magenta Managed LaserJet Toner Cartridge (~35,000 pages); W9023MC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |
| Control Panel  2.7 in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad  Software Included  8.7 in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad  Software Included  8.7 in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad  Software Included  8.7 in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable) angle) display with 24-key pad  Software Included  8.7 in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable) angle) display with 24-key pad  Software Included  8.7 in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable) angle) display with 24-key pad  Software Included  8.7 in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable) angle) display with 24-key pad  Software Included  8.7 in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable) angle) display with 24-key pad  Software Included  8.7 in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable) angle) display with 24-key pad  105 internal True Type fronts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 mutation (Europe Postson) in HP Postscri           |                                 | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4G; wty ID A001)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
| Display Description 2.7 in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad Software included No software solutions are included in the Box, only on http://hp.com, http://123-hp.com Fonts and Typefaces 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Galibri, Cambria) additional font solutions available with third-party flash memory cards; HP Laser Jet Fonts and IPOS Emulation available at hp.com/go/laserjetfonts Compatible Operating Systems Windows (Elient OS G32/64 bit), Windows 10, Windows 8 B asic, Windows 8 B rotate Prize Pri           |                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| No software solutions are included in the Box, only on http://hp.com, http://hp.c           |                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| Fonts and Typefaces  105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) additional font solutions available with third-party flash memory cards; HP Laser let Fonts and IPDS Emulation available at hp.com/go/laserjetfonts  Compatible Operating Systems  Windows Client OS (32/64 bit), Windows 10, Windows 8 Brasic, Windows 8 Brasic, Windows 8 Brasic, Windows 8 Brasic            |                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| additional font solutions available via third-party flash memory cards; HP Laser let Fonts and IPDS Emulation available at hp.com/go/laserjetfonts  Windows Client OS (32/64 bit), Windows 8 B. A., Windows 8 B. Basic, Windows 8 B. Benterprise, Windows 8 Enterprise, Windows 5 Enterprise,            |                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| Mac, Apple® macOS High Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS High Sierra v10.12, Apple Sierra v10.12, Apple Sierra v10.12, Apple Apple Sierra v10.12, Apple V10.12, Apple Sierra v10.12, Apple V10.12, Apple Sierra v10.12, Apple V10.12,            |                                 | additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |
| Systems  2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell Print server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://citrixready.citrix.com, Linux-For more information see http://php.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating system please see http://lphp.com/go/upd  Minimum System Requirements  PC: 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com; MAC: 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com  Power  Power SupplyType: Built-in 115V or 220V Power Supply, PowerRequirements:Input voltage: 100 V to 127 V nominal (+/- 10%), 50 - 60 Hz nominal (+/- 3 Hz), 12 A; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 6 A; PowerConsumption:850 watts (max. printing), 820 watts (fypical printing) 46 watts (Ready), 0.6 watts (Sleep), 0.6 watts (HP Auto-Off/Auto On), 0.08 watts (Auto-Off), 0.08 watts (Off) <sup>4</sup> ;  Typical Electricity Consumption (TEC) number: 2.11 kWh/Week (BA), 1.89 kWh/Week (ES) <sup>5</sup> Acoustics  Acoustic Power Emissions: 6.7 B(A): Acoustic Pressure Emissions: 51 dB(A) <sup>7</sup> Operating Temperature Range: 50 to 90.5°F; Recommended Operating Temperature: 59 to 80.6°F; Storage Temperature Range: -4 to 104°F; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH  Management  Management Security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPSec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10                                                                                                                                                                                                                                                            | Compatible Operating Systems    | Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |
| OS hardware requirements see apple.com  Power SupplyType: Built-in 115V or 220V Power Supply; PowerRequirements:Input voltage: 100 V to 127 V nominal (+/- 3 Hz), 50 - 60 Hz nominal (+/- 3 Hz), 12 A; Input voltage: 220 V to 240 V nominal (+/- 10%), 50 - 60 Hz nominal (+/- 3 Hz), 6 A; PowerConsumption:850 watts (max. printing), 820 watts (typical printing) 46 watts (Ready), 0.6 watts (Sleep), 0.6 watts (HP Auto-Off/Auto On), 0.08 watts (Auto-Off), 0.08 watts (Off) <sup>4</sup> ; Typical Electricity Consumption (TEQ) number: 2.11 kWh/Week (BA), 1.89 kWh/Week (ES) <sup>5</sup> Acoustics  Acoustic Power Emissions: 6.7 B(A); Acoustic Pressure Emissions: 51 dB(A) <sup>7</sup> Operating Temperature Range: 50 to 90.5°F; Recommended Operating Temperature: 59 to 80.6°F; Storage Temperature Range: -4 to 104°F; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH  Security Management  Management security: SNMPV3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPSec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                 | more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
| nominal (+/- 3 Hz), 6 A; PowerConsumption: 850 watts (max. printing), 820 watts (typical printing) 46 watts (Ready), 0.6 watts (HP Auto-Off/Auto On), 0.08 watts (Auto-Off), 0.08 watts (Off) <sup>4</sup> ;  Typical Electricity Consumption (TEC) number: 2.11 kWh/Week (EA), 1.89 kWh/Week (ES) <sup>5</sup> Acoustics  Acoustic Power Emissions: 6.7 B(A); Acoustic Pressure Emissions: 51 dB(A) <sup>7</sup> Operating Environment  Operating Temperature Range: 50 to 90.5°F; Recommended Operating Temperature: 59 to 80.6°F; Storage Temperature Range: -4 to 104°F; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH  Security Management  Management security: SNMPV3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPSec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Minimum System Requirements     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| Operating Environment Operating Temperature Range: 50 to 90.5°F; Recommended Operating Temperature: 59 to 80.6°F; Storage Temperature Range: -4 to 104°F; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH  Management Management Security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPSec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Power                           | nominal (+/- 3 Hz), 6 A; Power Consumption: 850 watts (max. printing), 820 watts (typical printing) 46 watts (Ready), 0.6 watts (Sleep), 0.6 watts (HP Auto-Off/Auto On), 0.08 watts (Auto-Off), 0.08 watts (Off) <sup>4</sup> ;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
| Operating Environment Operating Temperature Range: 50 to 90.5°F; Recommended Operating Temperature: 59 to 80.6°F; Storage Temperature Range: -4 to 104°F; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH Security Management Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPSec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Acoustics                       | Acoustic Power Emissions: 6.7 B(A); Acoustic Pressure Emissions: 5.1 dB(A) <sup>7</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Operating Environment           | Operating Temperature Range: 50 to 90.5°F; Recommended Operating Temperature: 59 to 80.6°F; Storage Temperature Range: -4 to 10.4°F; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Security Management             | Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |

#### Contact us to request a quote.



978.774.5400 info@archimediasg.com www.archimediasg.com



617.782.3800 sales@makepeace.com www.asg-companies.com



Archimedia Solutions Group, LLC Companies

¹ Standard cartridges included; yields 7,000 black and 6,000 color composite (C/M/Y) pages. Drums included; yields 75,000 black and color pages. ² Without paper trays extended. ³ With print cartridges. ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device. ⁵ BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device. ⁶ Neverage black and color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies ² Acoustic values are subject to change. For current information see http://www.hp.com/support. ⁶ The Configuration Pages will report maximum memory at 2 GB after 1 GB DIMM installed. This is an expected behavior of this product. ⁶ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ¹⁰ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ¹¹ Solution software available on 123.hp.com ¹² EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country. ¹³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact spee

## Learn more at hp.com

